
Table Of Contents

Catalog Guide

Table Of Contents.....	I	Discontinued Part Listing.....	VI
Abbreviations.....	II	Superseded Part Listing.....	VII
Traducciones Al Español.....	III	Limited Warranty / Return Policy.....	VIII
Traductions Françaises.....	IV		
New Part Number Listing.....	V		

QualFast High Performance

See Our QualFast Racing Catalog

Applications by Engine Manufacturer

AMC.....	See Chrysler	Jaguar.....	312
Acura.....	See Honda	Jeep.....	See Chrysler
Allis-Chalmers.....	1	John Deere.....	314
Audi.....	See Volkswagen	Kia.....	323
BMW.....	5	Komatsu.....	327
Buick.....	See GM Passenger Car & Truck	Kubota.....	329
Cadillac.....	See GM Passenger Car & Truck	Land Rover.....	330
Case.....	9	Lexus.....	See Toyota
Caterpillar.....	14	Lincoln.....	See Ford
Chevrolet.....	See GM Passenger Car & Truck	Lister-Petter.....	331
Chrysler Industrial.....	26	Mack.....	332
Chrysler Marine.....	30	Mazda.....	337
Chrysler Passenger Car & Truck.....	35	Mercedes Benz.....	349
Continental.....	79	Mercury.....	See Ford
Cummins.....	84	Mercuriser.....	See Engine Mfg. Marine Section
Daewoo.....	94	Mini.....	351
Datsun.....	See Nissan	Minneapolis Moline / Oliver.....	352
Detroit Diesel.....	95	Mitsubishi.....	354
Deutz.....	99	Nissan.....	364
Dodge/Truck.....	See Chrysler	OMC.....	See Engine Mfg. Marine Section
Eagle.....	See Chrysler	Oldsmobile.....	See GM Passenger Car & Truck
Edsel.....	See Ford	Onan.....	See Cummins
Fiat.....	100	Perkins.....	380
Ford Industrial.....	102	Plymouth.....	See Chrysler
Ford Marine.....	109	Pontiac.....	See GM Passenger Car & Truck
Ford Passenger Car & Truck.....	112	Renault.....	384
Ford Tractor.....	162	Saab.....	385
Geo.....	See GM Passenger Car & Truck	Saturn.....	See GM Passenger Car & Truck
GM Marine.....	167	Subaru.....	388
GM Passenger Car & Truck.....	174	Suzuki.....	391
Harley Davidson.....	256	Thermo-King.....	395
Hercules.....	258	Toyota.....	396
Hino.....	259	Volkswagen/Audi.....	414
Honda.....	260	Volvo.....	426
Hummer.....	See GM Passenger Car & Truck	Waukesha.....	429
Hyundai.....	275	Wisconsin.....	431
I.H.C. Tractors & Power Units.....	281	Yugo.....	433
I.H.C. Navistar Truck.....	291		
Infiniti.....	See Nissan		
Isuzu.....	302		

(Table of Contents Continued on Next Page)

Table Of Contents (Cont.)

Numerical Listings, Size Listings, Photos And Interchanges

Manufacturer Abbreviations	
For Numerical Listings	434
Valve Numerical Listing	434
Valve Progressive Size Listing by Head Dia. ...	460
Valve Seat Numerical Listing	469
Metric Universal Valve Seats	486
Guide Type Shapes	487
Guide Numerical Listing	489
Guide Progressive Size Listing by I.D.	496
Conversion Guide Listing	503
Spring Numerical Listing	505
Valve Spring Insert Numerical Listing	512
Keeper Numerical Listing	514
Lifter Numerical Listing	515
Rotator/Retainer Listing	516
Valve Stem Seal Numerical Listing	517
Valve Stem Seals by Size & Type	520
Rocker Component Listing	524
Rocker Kit Listing	525
Push Rod Listing	526
Injector Tube Listing	527
Water Pump Numerical/Photo Listing	528
Bulk Expansion Plug Listing by Size & Type	551
Expansion Plug Kit Components/Numerical	554
Interchanges (OEM And Competitor)	559
Part Number Prefix	Inside Back Cover

Abbreviations

Abbreviation	Meaning	Abbreviation	Meaning
#	Number	I.D.	Inside Diameter
"	Inch(es)	Incl.	Includes
8V, 16V, 24V	8, 16, 24 Valve	Ind.	Indirect
2BC	Two Barrel Carburetor	Inj.	Injection
2WD	Two Wheel Drive	Int	Intake
4BC	Four Barrel Carburetor	L	Liter
4WD	Four Wheel Drive	L.D.	Light Duty
A/C	Air Conditioning	LH	Left Hand
A/R	As Required	LPG	Liquid Petroleum Gas
ACERT	Advanced Combustion Emissions Reduction Technology	M.D.	Medium Duty
Addl.	Additional	Man.	Manual
Alt.	Alternator	Mfg.	Manufacture(d)
Alum.	Aluminum	Mod.	Modification
Amp.	Amperage	N.A.	Naturally Aspirated
Appl.	Application	OAL	Overall Length
Assy.	Assembly	O.D.	Outside Diameter
Auto.	Automatic	OHV	Overhead Valve
Avail.	Available	O/S	Oversize
C.F.I.	Central Fuel Injection	OEM	Original Equipment Manufacture
C.I.	Cubic Inch	Olds.	Oldsmobile
Calif.	California	Opt.	Optional
cc	Cubic Centimeters	Perf.	Performance
CNG	Compressed Natural Gas	Pkg.	Package
Cyl.	Cylinder(s)	Plym.	Plymouth
Deg.	Degree	PM Matl.	Powdered Metal Material
Des.	Design	Pont.	Pontiac
Dia.	Diameter	psi	Pounds Per Square Inch
Dir.	Direct	Qt.	Quart
DOHC	Double Overhead Cam	RH	Right Hand
EFI	Electronic Fuel Injection	RWD	Rear Wheel Drive
Emis.	Emission	S/C	Supercharged
Eng.	Engine(s)	S/N	Serial Number
Exc.	Except	SOHC	Single Overhead Cam
Exh	Exhaust	Sps.	Supersedes / Superseded By
F.I.	Fuel Injection	Std.	Standard
FWD	Front Wheel Drive	T	Tapered
GM	General Motors	Trans.	Transmission
G.V.W.	Gross Vehicle Weight	VIN	Vehicle Identification Number
H.D.	Heavy Duty	Vol.	Volume
H.O.	High Output	VVT	Variable Valve Timing
H.P.	Horse Power	w/	With
Hi.	High	w/o	Without
HSC	High Swirl Combustion	W.P.	Water Pump
Hyd.	Hydraulic		

Traducciones Al Español

English	Español	English	Español
Additional (Addl.)	Adicional	Lash Adjuster	Empujador de Válvula
After	Después	Late	Tarde
Air Conditioning (A/C)	Acondicionador de Aire	Left Hand (LH)	Izquierdo
Alternator (Alt.)	Alternador	Length	Largo
Aluminum (Alum.)	Aluminio	Lifter	Empujador de Válvula
Amperage (Amp.)	Amperaje	Light Duty (L.D.)	Servicio Liviano
As Required (A/R)	Como Sea Requerido	Line Number	Número de Línea
Assembly (Assy.)	Juego de Piezas	Liquid Petroleum Gas (LPG)	Gas de Petróleo Líquido
Automatic (Auto.)	Automatico	Liter (L)	Litro
Available (Avail.)	Disponible	Manual (Man.)	Manual
Barrel	Barril	Marine	Marino
Before	Antes	Material	Material
Belt	Correa	Medium Duty (M.D.)	Servicio Mediano
Block	Bloque	Model	Modelo
Bore	Diámetro Interno de Cilindro	Modification (Mod.)	Modificación
Both	Ambas	Naturally Aspirated (N.A.)	Aspirado Naturalmente
Brass	Latón	Notes	Notas
Camshaft	Arbol de Levas	Number (#) (No.)	Número
Carburetor (Carb.)	Carburador	Oil Pan	Colector de Aceite
Central Fuel Injection	Inyección Central	Optional (Opt.)	Opcional
Clutch	Embrague	Original Equipment	Manufactura de Primer
Component	Componente	Manufacture (OEM)	Equipamiento
Compressed Natural Gas (CNG)	Gas Natural Comprimido	Outside Diameter (O.D.)	Diámetro Exterior
Conversion	Conversión	Overall	De Punta a Punta
Cubic Inch (C.I.)	Pulgada Cúbica	Oversize (O/S)	Sobremedida
Cylinder	Cilindro	Package	Paquete
Cylinder Head	Culata	Page	Página
Design (Des.)	Diseño	Performance (Perf.)	Rendimiento
Diameter (Dia.)	Diámetro	Pin	Clavija
Double Overhead Cam (DOHC)	Arbol de Levas Elevada	Plain I.D.	Diámetro Interior Liso
Drilled	Doble	Pounds Per Square Inch (psi)	Presión por Libra por Pulgada Cuadrada
Drive	Taladrado	Pulley	Polea
Early	Propulsion	Pre-Chamber	Pre-Cámara
Emissions (Emis.)	Temprano	Rear	Trasero
Engine (Eng.)	Emisiones	Recommended	Recomendado
Except (Exc.)	Motor	Reverse Rotation	Rotación Invertido
Exhaust (Exh)	Excepto	Right Hand (RH)	Derecho
Expansion Plug	Escape	Rocker	Balancín
Flange	Tapón para Expansión	Rotator	Rotador de Válvula
Free	Pestaña	Screen	Filtro
From	Libre	Serial Number (S/N)	Número de Serie
Front	Desde	Single Overhead Cam (SOHC)	Arbol de Leva Elevado
Fuel Injection (F.I.)	Frente	Spiral Reamed	Sencillo
Gasoline	Inyección de Combustible	Spring	Escariado por Espiral
Groove	Gasolina	Stem	Ressorte de Válvula
Guide	Ranura	Tapered (T)	Vastago
Heat Treated	Guía de Válvula	Ton	Rematado en Punta
Heavy Duty (H.D.)	Tratado por Calor	Tractor	Tonelada
Height	Servicio Pesado	Truck	Tractor
High (Hi.)	Altura	Turbocharger (Turbo)	Camion
High Output (H.O.)	Alto	Valve	Turboalimentador
High Swirl Combustion (HSC)	Alto Rendimiento	Valve Seat Insert	Válvula
Horse Power (H.P.)	Combustión Arremolinada	Valve Spring Insert	Asiento de Válvula
Hydraulic (Hyd.)	Caballos de Fuerza	Valve Stem Seal	Inserto de Ressorte de V.
Inch (")	Hidráulico	Vehicle Identification No. (VIN)	Sello de Vastago de Válvula
Includes	Pulgada	Volume (Vol.)	Número de Identificación del Vehículo
Industrial	Incluso	Water Pump	Volumen
Inside Diameter (I.D.)	Industrial	Wheel	Bomba de Agua
Intake (Int)	Diámetro Interior	With (w/)	Rueda
Intermediate Shaft (I.S.)	Admisión	Without (w/o)	Con
Keeper	Eje Intermedio	Year	Sin
Kit	Cuña de Válvula		Año
	Juego		

Traductions Français

English	Français	English	Français
Additional (Addl.)	Additionnel	Late	Tard
After	Après	Left Hand (LH)	Gauche
Air Conditioning (A/C)	Climatiseur	Length	Longeur
Alternator (Alt.)	Alternateur	Lifter	Poussoir de Soupape
Aluminum (Alum.)	Aluminium	Light Duty (L.D.)	Service Léger
Amperage (Amp.)	Ampère	Line Number	Numéro de Ligne
As Required (A/R)	Comme Nécessaire	Liquid Petroleum Gas (LPG)	Gaz de Pétrole Liquide
Assembly (Assy.)	Assemblage	Liter (L)	Litre
Automatic (Auto.)	Automatique	Manual (Man.)	Manuel
Available (Avail.)	Disponible	Marine	Marin
Barrel	Baril	Material	Matériel
Before	Avant	Medium Duty (M.D.)	Service Moyen
Belt	Courroie	Modification (Mod.)	Modification
Block	Bloc	Naturally Aspirated (N.A.)	Aspiré Naturellement
Bore	Alésage	Notes	Notes
Both	Tous	Number (#) (No.)	Nombre
Brass	Cuivre	Oil Pan	Carter A l'Huile
Camshaft	Arbre À Cames	Optional (Opt.)	Facultatif
Carburetor (Carb.)	Carburateur	Original Equipment	Fabrication de 1 ^{er} Equipement
Central Fuel Injection	Injection Centralisée	Manufacture (OEM)	
Clutch	Embrayage	Outside Diameter (O.D.)	Diamètre Extérieur
Component	Pièce	Overall	De Bout en Bout
Compressed Natural Gas (CNG)	Gaz Naturel Comprimé	Oversize (O/S)	Taille de Plus
Conversion	Conversion	Package	Ensemble
Cubic Inch (C.I.)	Pouces Cube (Cylindrée)	Page	Page
Cylinder	Cylindre	Performance (Perf.)	Performance
Cylinder Head	Culasse	Pin	Goupille
Design (Des.)	Dessin	Plain I.D.	Diamètre Intérieur Lisse
Diameter (Dia.)	Diamètre	Pounds Per Square Inch (psi)	Pression en Livres par Pouce Carré
Double Overhead Cam (DOHC)	Double Arbre À Cames En Haut	Pre-Chamber	Pre-Cámara
Drilled	Foré	Pulley	Poulie
Drive	Entrainement	Rear	Arrière
Early	Tôt	Recommended	Recommandé
Emissions (Emis.)	Echappement	Reverse Rotation	Rotation Renversé
Engine (Eng.)	Moteur	Right Hand (RH)	Droite
Except (Exc.)	Excepté	Rocker	Balancier
Exhaust (Exh)	Echappement	Rotator	Rotateur
Expansion Plug	Bouchon de Expansion	Screen	Écran
Flange	Bord	Serial Number (S/N)	Numéro en Série
Free	Libre	Single Overhead Cam (SOHC)	Seul Arbre A Cames en Haut
From	De	Spiral Reamed	Fraisé en Spirale
Front	Devant	Spring	Ressort de Soupape
Fuel Injection (F.I.)	Injection d'Essence	Stem	Tige
Gasoline	Essence	Tapered (T)	Effilé
Groove	Rainure	Tractor	Tracteur
Guide	Guide	Transmission (Tran.)	Botie de Vitesse
Heat Treated	Traité Por Chaleur	Truck	Camion
Heavy Duty (H.D.)	Service Dur	Turbocharger (Turbo)	Turbo-Compresseur
Height	Hauteur	Valve Seat Insert	Siège de Soupape
High (Hi.)	Haut	Valve	Soupape
High Output (H.O.)	Rendement Élevé	Valve Spring Insert	Insert de Ressort de Soupape
High Swirl Combustion (HSC)	Combustion en Haut	Valve Stem Seal	Joint d'étanchéité de Soupape
Horse Power (H.P.)	Tourbillon	Vehicle Identification No. (VIN)	Numéro d'Identification de Véhicule
Hydraulic (Hyd.)	Puissance	Water Pump	Pompe A Eau
Inch (")	Hydraulique	Wheel	Roue
Includes	Pouce	With (w/)	Avec
Inside Diameter (I.D.)	Compris	Without (w/o)	Sans
Intake (Int)	Diamètre Intérieur	Year	Année
Intermediate Shaft (I.S.)	Admission		
Keeper	Arbre Intermédiaire		
Lash Adjuster	Clavette de Soupape		
	Poussoir de Soupape		

New Part Listing

10-938+30	10-1902+3	30-3255	37-7063	40-2888	42-2940
10-1017	10-1903+15	30-3257	37-7175	40-2889	42-2941
10-1107S	10-1903+3	30-3278	37-7639	40-2891	42-2948
10-1135+30	10-1916+3	30-7255+5	37-7782	40-2892	42-2971
10-1237+30	10-1917+15	30-8347+2	37-7977	40-2893	42-3558
10-1238+3	10-1917+3	32-502	37-9005	40-2900	42-3813
10-1238+30	10-1924S	32-04058	37-9320	40-2930	42-4439
10-1260+3	10-1925S	32-04059	37-9461	40-3924	42-5237
10-1268+3	10-3102	32-04060	37-9826	40-5267	42-5714
10-1294	10-3103	32-04062	38-0057-45	40-7195	42-6388
10-1294+15	10-3182	32-5000	38-134-55	40-8472	42-6428
10-1294+3	10-3183	32-5001	38-2882-35	40-8475	42-7564
10-1294+30	10-3186	32-5002	38-3044-45	40-9106	42-8939
10-13003	10-3187	32-5003	38-3150-55	41-1736	55-6100
10-13022	10-3188	32-5004	38-3432-55	41-1737	55-6103
10-13023	10-3189	32-5005	38-505-45	41-2401	55-6104
10-13038	10-3190	32-5006	38-530-45	41-2402	55-6105
10-13039	10-3191	32-5007	38-6036-55	41-2407	55-6130
10-13040	10-3192	32-502	38-6116-45	41-2501	55-6179
10-13042	10-3196	34-2004	38-6117-55	41-2504	55-6194
10-13043	10-3197	34-5029	38-6118-55	41-2507	55-6197
10-13044	10-3198	36-817CCI	38-6119-55	41-2508	55-6198
10-13046	10-3199	36-900CCI	38-6120-55	41-2509	55-6199
10-13073	20-H1578	36-2011CCI	38-6121-55	41-2547	55-6201
10-13074	20-H1759	36-7096	38-6122-55	41-2548	55-6226
10-13081	21-1500-50N	36-7097	38-6124-55	41-2554	55-6231
10-13082	22-1264-1	36-7098	38-6635-45	41-2600	55-6252
10-13151	22-1343-1	36-7099	38-6791-45	41-2610	55-6260
10-13161	22-1345-1	36-7101	38-6995-45	41-2611	55-6294
10-13176	22-1459-1	36-7102K	38-7117-45	41-2673	55-6302
10-13177S	22-1469-1	36-7103K	40-1807	41-2738	55-6304
10-13178S	22-1479-1S	36-7104K	40-1840	42-1702	55-6305
10-13179	22-1480-2	36-7105	40-1841	42-1704	55-6318
10-13182	22-1501-1	36-7106	40-1842	42-1718	55-6360
10-13183	22-1554-1	36-7107	40-2702	42-1719	55-6569
10-13190	22-1554-2	36-7108	40-2710	42-1720	55-6735
10-13191	22-1577-1	36-LUBE	40-2736	42-1721	55-6906
10-13192S	22-1584-1	37-1046	40-2737	42-1724	74-5157
10-13193	22-1628-4	37-1410	40-2738	42-1731	74-5311
10-13194	22-1656-1	37-2001	40-2754	42-1740	74-5312
10-13195	22-1692-2N	37-2299	40-2755	42-1741	74-5471
10-13197	22-1722-2	37-2313	40-2758	42-1771	74-5621
10-13198	22-1811-3	37-2474	40-2809	42-1772	74-6034
10-13201	22-1812-9	37-2757	40-2810	42-1776	74-6105
10-13203S	22-1814-4S	37-2884	40-2840	42-1783	74-6230
10-13204	22-1819-2	37-2899	40-2841	42-1786	74-6231
10-13205	22-1831-3N	37-3198	40-2842	42-1791	74-6274
10-1323+3	22-1857-3	37-3330	40-2844	42-1792	74-6279
10-1325+3	22-1951-1	37-3512	40-2849	42-1793	74-6281
10-1328+30	22-2001-2	37-4003	40-2850	42-1797	74-6306
10-1329+30	30-3080	37-4004	40-2851	42-1861	74-6310
10-1329+5	30-3081	37-4452	40-2859	42-2070	74-6317
10-1393+30	30-3082	37-4680	40-2864	42-2641	74-6321
10-1504+30	30-3083	37-5655	40-2864	42-2661	74-6323
10-1505+30	30-3112	37-6514	40-2867	42-2701	74-6324
10-1560+3	30-3118	37-6761	40-2868	42-2920	74-6335
10-1561+3	30-3119	37-6999	40-2876	42-2921	74-6342
10-1902+15	30-3123	37-7062	40-2886	42-2934	74-6346

74-6363	74-6653	90-2131	90-6145	90-6235	97-165B
74-6366	87-1028	90-2137	90-6149	90-6240	97-166
74-6373	87-1095	90-2191	90-6151	90-6242	97-166B
74-6380	87-1200	90-2221	90-6154	90-6250	97-167
74-6385	87-2075	90-2248	90-6155	90-6278	97-167B
74-6430	87-3147	90-2250	90-6156	90-8000	97-168
74-6441	87-3148	90-2251	90-6157	90-9403	97-168B
74-6442	87-5344	90-3716	90-6184	90-9460	97-169
74-6443	87-6503	90-3717	90-6189	90-9476	97-169B
74-6445	87-7255	90-5099	90-6198	90-9949	97-170
74-6448	87-7257	90-6018	90-6215	97-161	97-170B
74-6458	87-8320	90-6034	90-6216	97-161B	97-173
74-6462	87-8339	90-6075	90-6217	97-162	97-173B
74-6474	90-2000	90-6076	90-6218	97-162B	
74-6475	90-2044	90-6116	90-6219	97-163SS	
74-6614	90-2090	90-6142	90-6220	97-164	
74-6615	90-2129	90-6143	90-6222	97-164B	
74-6652	90-2130	90-6144	90-6223	97-165	

Discontinued Part Listing

10-301S	10-1386S+15	10-10061+15	30-7338+10	32-1403	32-1583
10-494+15	10-1399+15	10-10093+15	30-7359+3	32-1414	32-2404
10-559S+15	10-1448+15	10-10094+15	30-7557	32-1417	32-2408
10-576C	10-1451+15	10-10118+15	30-7604+5	32-1418	36-7084
10-754	10-1452+15	10-10147+15	30-8005	32-1428	90-835
10-1057S+15	10-1457+15	10-10148+15	30-8113+2	32-1429	90-2008
10-1133S+15	10-1504S+15	10-10153+15	30-8114+2	32-1431	90-2060
10-1169+3	10-1536+3	10-10368S	30-8115+2	32-1432	90-3706
10-1170+3	10-1547+15	10-10677	30-8183	32-1437	90-4010
10-1261S+15	10-1548S+15	10-10678	30-8221	32-1443	90-5059
10-1261S+3	10-1592+3	20-1875-31	32-765	32-1444	90-7124
10-1263+3	10-1630S	20-1875-6N	32-926	32-1451	90-7133
10-1294S+15	10-1631S	20-2062-10	32-969	32-1455	90-7154
10-1300+3	10-1728+15	20-2250-19	32-1140	32-1458	90-7166
10-1320+15	10-1728+3	30-1539	32-1214	32-1462	90-9005
10-1323+3	10-1784+15	30-1571	32-1271	32-1465	90-9247
10-1324+15	10-3100	30-1823+2	32-1275	32-1467	90-9390
10-1324+3	10-3101	30-3231	32-1367	32-1469	
10-1352+15	10-10015+15	30-7194+10	32-1397	32-1551	

All 25- prefix PM seats have been discontinued. Some existing stock remains, see back of catalog and call for availability.

Superseded Part Listing

Superseded #	Superseded By	Superseded #	Superseded By	Superseded #	Superseded By
10-1661S	10-1659S	30-3233	30-8573	38-6106-55	38-53-45
10-1915	10-1735	30-3236	30-3238	38-6107-55	38-53-45
10-2184	10-2007	30-3237	30-3239	38-6111-55	38-6112-55
10-2186	10-2007	30-3241	30-8554	38-6113-55	38-905-45
10-3052	10-03031	30-3249	30-3240	87-3382	87-8778
10-3053	10-03032	30-3250	30-3240	90-82	90-2131
10-3068	10-3070	30-3254	30-3007+20	90-97	90-2090
10-3069	10-3071	31-8397	31-8576	90-99	90-2000
10-3084	10-3086	32-718-D	32-887-D	90-4045	90-4042
10-3085	10-3087	34-5006	34-5011	90-4100	90-4122
10-3092	10-3072	34-5017	34-5024	90-5055	90-5054
10-3093	10-3073	36-817	36-817CCI	90-7116	90-7120
10-13045	10-13179	36-900	36-900CCI	90-9290	90-9258
30-3017	30-3035	36-2011	36-2011CCI	90-9292	90-9411
30-3018	30-3036	38-59-45	38-535-45	90-9334	90-9367
30-3232	30-8572	38-6104-55	38-6105-55	90-9908	90-6151

QualCast, LLC Limited Warranty

All products sold by QualCast, LLC are warranted to the consumer owner for one (1) year from the date of installation to be free from defects in materials or workmanship.

This warranty does not apply to any product that has been altered, misused, subject to excessive operating conditions, malfunctions because of foreign particles such as engine dirt or pieces of other deteriorating engine components, or products used in a vehicle that has been altered for other than intended purposes. Also, high performance products are not covered under this warranty including products used for off-road or racing purposes.

If a product fails to conform to this warranty, the product should be sent back, prepaid, to QualCast, LLC. If QualCast, LLC determines that the product fails to conform to the warranty, it will either replace the product or refund its original purchase price, at the option of QualCast, LLC.

THIS LIMITED EXPRESS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ANY IMPLIED WARRANTY OF MERCHANTABILITY, IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR WARRANTY OF QUALITY, WHETHER EXPRESS OR IMPLIED. ANY IMPLIED WARRANTY OF MERCHANTABILITY, IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR WARRANTY OF QUALITY, WHETHER EXPRESS OR IMPLIED, IS EXPRESSLY EXCLUDED AND DISCLAIMED. THE WARRANTY OF TITLE SHALL NOT BE AFFECTED BY THIS EXCLUSION AND DISCLAIMER. THE REMEDIES SET FORTH IN THIS EXPRESS LIMITED WARRANTY ARE EXCLUSIVE.

QUALCAST, LLC WILL NOT BE RESPONSIBLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, PERSONAL INJURY, PROPERTY DAMAGE, LABOR CHARGES, DOWN TIME, ANTICIPATED OR EXPECTED PROFITS, ETC.

Some states do not allow exclusions or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This express limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Return of Product Policy

Any product to be returned for any reason, should be authorized by QualCast customer service or technical department, and will be given an RGA number to be noted on paperwork accompanying the return. All returned goods should be shipped "freight prepaid". Returns may be subject to a restocking fee of up to 20%.